

**The Japan Society of Mechanical Engineers
Code for Fusion Facilities**

Rules on Superconducting Magnet Structure

APPENDICES

CONTENTS

**APPENDIX 11 QUALIFIED INSPECTION OF SUPERCONDUCTING
MAGNETS**

11-1000 GENERAL PRINCIPLES	11-1
11-1100 APPLICABILITY	11-1
11-1200 IMPLEMENTATION OF INSPECTION	11-1
11-1210 QUALIFIED INSPECTION FUNCTION	11-1
11-1220 QUALIFIED INSPECTOR	11-1
11-1300 DUTIES OF QUALIFIED INSPECTOR	11-2
11-1310 GENERAL INSPECTION DUTIES	11-2
11-1320 CATEGORIES OF QUALIFIED INSPECTOR'S DUTIES	11-2
11-1330 QUALITY ASSURANCE PROGRAM	11-3
11-1331 Stipulation of Inspections	11-3
11-1332 Quality Assurance Program Monitoring	11-3
11-1333 Process Control Check List	11-3
11-1340 REVIEW OF QUALIFICATION RECORDS	11-3
11-1341 Welding Procedures	11-3
11-1342 Welders and Welding Operators	11-4
11-1343 Nondestructive Examination Procedures	11-4
11-1344 Nondestructive Examination Personnel	11-4
11-1350 MATERIALS, PARTS, AND HEAT TREATMENT	11-5
11-1351 Inspection of Material Compliance	11-5
11-1352 Check of Dimension	11-5
11-1353 Check of Heat Treatment Practice	11-5
11-1360 EXAMINATION AND TESTS	11-5
11-1370 FINAL TESTS	11-6
11-1380 DATA REPORTS	11-6

APPENDIX 12 DUTIES OF STANDARD-EXPERT ENGINEERS FOR SUPERCONDUCTING MAGNETS

12-1000 GENERAL PRINCIPLES	12-1
12-1100 APPLICABILITY	12-1
12-1200 STANDARD-EXPERT ENGINEER	12-1
12-1300 DUTIES OF STANDARD-EXPERT ENGINEERS	12-2
12-1310 GENERAL DUTIES REGARDING REVIEW OF DESIGN DOCUMENTS	12-2
12-1320 DESIGN DOCUMENTS TO BE REVIEWED	12-2
12-1330 REVIEW OF DESIGN DOCUMENTS	12-2
12-1331 General	12-2
12-1332 Design Specifications	12-2
12-1333 Design Drawing, Design Analysis Report, and Design Report	12-3
12-1334 Fabrication Specifications	12-4
12-1335 Installation Specifications	12-4

APPENDIX 21 STANDARD FOR STRUCTURAL MATERIAL

21-1000 HIGH MANGANESE STAINLESS STEEL FOR MAGNET

STRUCTURE	21-1
21-1100 MANUFACTURING METHOD	21-1
21-1200 HEAT TREATMENT	21-1
21-1300 CHEMICAL COMPOSITION	21-1
21-1400 MECHANICAL PROPERTIES	21-1
21-1500 TEST METHOD	21-2
21-1600 RETEST	21-2
21-2000 STAINLESS STEEL FOR STRUCTURE	21-3
21-2100 MANUFACTURING METHOD	21-3
21-2200 HEAT TREATMENT	21-3
21-2300 CHEMICAL COMPOSITION	21-3
21-2400 MECHANICAL PROPERTIES	21-4
21-2500 TEST METHOD	21-4
21-2600 RETEST	21-4

21-3000 STAINLESS STEEL PIPING FOR JACKET	21-5
21-3100 MANUFACTURING METHOD	21-5
21-3200 HEAT TREATMENT	21-5
21-3300 CHEMICAL COMPOSITION	21-5
21-3400 MECHANICAL PROPERTIES	21-5
21-3500 TEST METHOD	21-5
21-3510 TENSILE TEST	21-5
21-3520 FLATNESS TEST	21-5
21-3600 RETEST	21-6

APPENDIX 22 SPECIFICATIONS FOR WELDING MATERIAL

22-1000 WELDING WIRE FOR TIG WELDING	22-1
22-1100 CHMICAL COMPOSITION	22-1

APPENDIX 23 GUIDELINES FOR APPLYING NEW MATERIAL

23-1000 GENERAL	23-1
23-2000 APPLICATION PROCEDURE	23-1
23-3000 SUBMITTED DOCUMENTS	23-2
23-3100 BASIC COMPONENTS AND USE OF MATERIAL	23-2
23-3110 MATERIAL SPECIFICATIONS	23-2
23-3120 MANUFACTURING METHODS AND CONDITIONS	23-2
23-3130 SERVICE CONDITIONS AND EXPERIENCES	23-2
23-3140 PROPERTIES AND PARTICULAR LIMITATIONS in USING the NEW MATERIAL	23-2
23-3141 Characteristics	23-2
23-3142 Patent and License	23-3
23-3200 TEST DATA FOR BASE MATERIAL	23-3
23-3210 TEST SPECIMENS AND TEST METHOD	23-3
23-3220 TEST DATA TO BE SUBMITTED	23-3
23-3221 Chemical Composition (Heat and Product Analyses)	23-3
23-3222 Macrostructure and Microstructure	23-3
23-3223 Mechanical Properties	23-3

23-3224 Application Test Data	23-4
23-3225 Other Properties	23-4
23-3300 TEST DATA FOR WELDED JOINT	23-4
23-3400 DESIGN YIELD STRENGTH AND DESIGN TENSILE STRENGTH	23-5
23-4000 NOTABILIA	23-5

APPENDIX 31 DESIGN FATIGUE CURVE

31-1000 SCOPE	31-1
31-2000 SYMBOL	31-1
31-3000 DESIGN FATIGUE CURVE	31-1
31-3100 Design Fatigue Curve at Cryogenic Temperature for Austenitic Stainless Steel	31-1
31-3200 Design Fatigue Curve at Room Temperature for Austenitic Stainless Steel and High Nickel Alloy Steel	31-2
31-3300 INTERPOLATION METHOD	31-2

APPENDIX 41 WELDED JOINTS

41-1000 SCOPE	41-1
41-2000 JOINT CATEGORIES	41-1
41-2100 JOINT CATEGORY A	41-1
41-2200 JOINT CATEGORY B	41-1
41-2300 JOINT CATEGORY C	41-1
41-2400 JOINT CATEGORY D	41-1
41-2500 JOINT CATEGORY E	41-2
41-2600 JOINT CATEGORY F	41-2
41-3000 JOINT TYPES	41-2
41-3010 CORNER JOINT TYPE No.4 (f)	41-2
41-3100 JOINT TYPE OF CATEGORY A	41-2
41-3200 JOINT TYPE OF CATEGORY B	41-2
41-3210 REMOVING OF BACKING STRIP OF TYPE NO.2 WELDED JOINT	41-2
41-3300 JOINT TYPE OF CATEGORY C	41-3
41-3400 JOINT TYPE OF CATEGORY D	41-3

41-3500 JOINT TYPE OF CATEGORY E	41-3
41-3600 JOINT TYPE OF CATEGORY F	41-3
41-3700 WELD JOINT BETWEEN NONSTRUCTURAL PART AND STIFFENER	41-3
41-4000 WELDED JOINT BETWEEN SECTIONS OF UNEQUAL THICKNESS	41-3
 APPENDIX 51 ULTRASONIC EXAMINATION METHOD	
51-1000 APPLICATION	51-1
51-2000 ULTRASONIC EXAMINATION METHOD	51-1
51-2100 EXAMINATION AREA	51-1
51-2200 EXAMINATION PROCEDURE	51-1
51-2300 QUALIFICATION OF EXAMINATION PROCEDURE AND QUALIFICATION BLOCK	51-1
51-2400 PROCEDURE OF THE ULTRASONIC EXAMINATION	51-2
51-2500 RECORD	51-2
51-2600 PERSONNEL PERFORMING AND EVALUATING	51-2
51-2700 QUALIFICATION RECORD OF CERTIFIED PERSONNEL	51-3
51-2800 ANALYZER	51-3
51-3000 ACCEPTANCE CRITERIA	51-3
51-3100 DATA ANALYSIS CRITERIA	51-3
51-3200 INDICATIONS OF GEOMETRIC AND METALLURGICAL ORIGIN	51-3
51-3300 FLAW SIZING	51-4
51-3400 FLAW EVALUATION AND ACCEPTANCE CRITERIA	51-4
51-3500 REVIEW	51-5
51-3600 DATA REPORT	51-6
SUPPLEMENT I: EDDY CURRENT SURFACE EXAMINATION PROCEDURE REQUIRMENTS	51-15

APPENDIX 1A GUIDELINES FOR QUALITY ASSURANCE

1A-1000 GENERAL PRINCIPLES 1A-1

1A-1100 APPLICABILITY 1A-1

1A-1200 KEY POINTS OF the QA PROGRAM 1A-1

1A-2000 GUIDELINES ON APPLICATION OF QUALITY ASSURANCE ... 1A-2

1A-2100 QUALITY ASSURANCE PROGRAM 1A-2

 1A-2100.1 Organization 1A-2

 1A-2100.2 Quality Assurance Program 1A-4

 1A-2100.3 Design Control 1A-4

 1A-2100.4 Procurement Document Control 1A-5

 1A-2100.5 Instructions, Procedures and Drawings 1A-5

 1A-2100.6 Document Control 1A-5

 1A-2100.7 Control of Purchased Items and Services 1A-6

 1A-2100.8 Identification and Control of Items 1A-6

 1A-2100.9 Control of Special Processes 1A-6

 1A-2100.10 Inspection 1A-6

 1A-2100.11 Test Control 1A-6

 1A-2100.12 Control of Measuring and Test Equipment 1A-7

 1A-2100.13 Handling, Storage and Shipping 1A-7

 1A-2100.14 Inspection, Test and Operating Status 1A-7

 1A-2100.15 Control of Nonconforming Items 1A-7

 1A-2100.16 Corrective Action 1A-7

 1A-2100.17 Quality Assurance Records 1A-8

 1A-2100.18 Audits 1A-9

APPENDIX 2A MATERIAL PROPERTIES OTHER THAN YIELD AND TENSILE STRENGTH

2A-100 SCOPE 2A-1

2A-1000 TOUGHNESS AT CRYOGENIC TEMPERATURES 2A-1

2A-1100 FRACTURE TOUGHNESS VALUE AT TEMPERATURE -269 °C (4K)
..... 2A-1

2A-1200 CHARPY ABSORBED ENERGY AT TEMPERATURE -196 °C (77K) 2A-1

2A-2000 FATIGUE PROPERTIES	2A-2
2A-2100 CRACK GROWTH RATE AT TEMPERATURE -269 °C (4K)	2A-2
2A-3000 OTHER PROPERTIES	2A-2
2A-3100 MODULUS OF ELASTICITY AT TEMPERATURE -269 °C (4K) and -196 °C (77K)	2A-2
2A-3200 AVERAGE LINEAR EXPANSION COEFFICIENTS FROM ROOM TEMPERATURE TO APPROXIMATELY -253 °C (APPROXIMATELY 20K)	2A-3
 APPENDIX 3A RULES FOR EVALUATION OF SERVICE CONDITIONS WITH LIMIT SET WHICH EXCEEDS LIMIT SETS 1, 2 AND 3	
3A-1100 SCOPE	3A-1
3A-1200 DESIGN RULES FOR LIMIT SET WHICH EXCEEDS LIMIT SETS 1, 2 AND 3	3A-1
3A-1210 GENERAL	3A-1
 3A-1220 DESIGN BY ANALYSIS	3A-1
3A-1221 Terms Related to Analysis	3A-1
3A-1221.1 Elastic Analysis	3A-1
3A-1221.2 Inelastic Analysis	3A-2
3A-1221.3 Collapse	3A-2
3A-1221.4 Plastic Instability Load	3A-2
3A-1222 Methods and Requirements for Analysis	3A-2
3A-1230 ACCEPTANCE CRITERIA USING ELASTIC ANALYSES	3A-3
3A-1231 Criteria for Components	3A-3
3A-1231.1 Elastic Analysis	3A-3
3A-1231.2 Requirements for Compressive Loads	3A-3
3A-1232 Criteria for Bolt Connection	3A-3
3A-1232.1 Allowable Average Stress Intensities	3A-4
3A-1232.2 Allowable Average Shear Stresses	3A-4
3A-1232.3 Maximum Allowable Stress Intensities	3A-4
3A-1240 ACCEPTANCE CRITERIA USING NON-ELASTIC ANALYSIS	3A-4
3A-1240.1 Collapse Load	3A-4

3A-1240.2 Plastic Instability Load	3A-4
3A-1240.3 Stress Limit for Bolts	3A-4

APPENDIX 3B FRACTURE MECHANICS EVALUATION

3B-1000 SCOPE	3B-1
3B-1001 Residual Stress	3B-1
3B-1010 GENERAL	3B-1
3B-1100 REQUIREMENTS FOR CRACK SIZE	3B-1
3B-1110 Assumed Initial Crack Size	3B-1
3B-1111 Determination of Assumed Initial Crack Size	3B-2
3B-1112 Initial Crack Length for Radiographic Examination	3B-2
3B-1113 Initial Crack Length for Ultrasonic Examination	3B-2
3B-1114 Initial Crack Length for Magnetic Particle and Liquid Penetrant Examination	3B-2
3B-1200 CALCULATION OF CRACK GROWTH RATE	3B-2
3B-1210 CALCULATION OF STRESS INTENSITY FACTOR K_I	3B-3
3B-1220 FAILURE ASSESSMENT	3B-3
3B-1221 Introduction	3B-3
3B-1222 Flow Chart of Failure Assessment	3B-3
3B-1223 Procedure of Failure Assessment	3B-4
3B-1223.1 Select and Define the Failure Assessment Curve	3B-4
3B-1223.2 Failure Assessment Point with Coordinates (L_r ', K_r ')	3B-5
3B-1223.3 Assessment of Results	3B-7
3B-1300 CALCULATED NUMBER OF DESIGN CYCLES	3B-7
3B-1310 ALLOWABLE FINAL CRACK DEPTH	3B-7
3B-2000 CALCULATION OF STRESS INTENSITY FACTOR	3B-7
3B-2100 SCOPE	3B-7
3B-2200 CRACK ALLOCATION AND LOADING STRESSES	3B-7
3B-2210 CRACK GEOMETRY AND LOADING PATTERNS IN A PLATE	3B-7
3B-2300 DETERMINATION OF STRESS INTENSITY FACTOR IN A PLATE	3B-7
3B-2310 CASE OF STRESS DISTRIBUTION APPROXIMATED BY POLYNOMIAL EXPRESSION	3B-7

3B-2320 CASE OF STRESS DISTRIBUTION APPROXIMATED BY LINEAR EXPRESSION	3B-8
3B-3000 REFERECE DOCUMENTS	3B-9
APPENDIX 3C EXPERIMENTAL FATIGUE ANALYSIS FOR CYCLIC LOAD	